



Mercedes-Benz

Universāls LTD SIA

Quotation


Jelgava, 23.09.2025

Aviācijas iela 6

Jelgava

LV-3002

Quotation No. 23_09_2025 Mercedes-Benz eSprinter 420 KA 4X2 4325 ELECTRIC 16 seats





Description

Designation	Sprinter L4H2
Number of seats	16
Number of standing places	0
Class	B
Bus category	M2
Dimensions	
Length [mm]	7.367
Width [mm]	2,020
Height [mm]	2.663
Height [mm] including conditioner	2.843
Wheelbase [mm]	4.325
Tire size	285/65 R 16 C
Front overhang [mm]	1.021
Rear overhang [mm]	2.021
Turning diameter [mm]	15.30
Engine data	
Engine	ZF Friedrichshafen AG
Type (windings, excitation)	54 windings, 3 pole pairs, PSM, permanently excited synchronous motor
Operating voltage [V]	170-420

Maximum Power [kW] max.	150
Torque [Nm] max.	320
AC charging [kW]	22
DC charging [kW]	115
High-voltage battery [kW/h]	113
Vehicle socket for electric vehicle	Type 2
DC charging socket	CCS 2
Gearbox, Type	1-speed, automatic
EUS charging time from 0-100% (AC charging) [kW]	11
EUS charging time from 20-80% (DC charging) [min]	41
Chassis	
Steering system	Rack and pinion steering mechanism
Steering axle, Type	Independent suspension
Driving axle, Type	Independent suspension with built-in electric motor
Service brake system	Disc brakes
Driver assistance systems	
Anti-lock braking system (ABS)	x
Anti-skid system (ASR)	x
ADAPTIVE ESP®	x
Brake Assist (BAS)	x
Drive-off Assistant (AAS)	x
Tire pressure monitoring system	x
ISA	x
High beam assist system	x
Parking system	x

Reverse signal	x
Crosswind assistant	x
Lane departure warning system	x
Blind spots - Assistant BSIS	x
Collision warning	x
Masses	
Gross weight [kg] [1]	5.000
Technically permissible mass front axle [kg]	1.850
Technically permissible mass rear axle [kg]	3.500
Air conditioning system	
Cooling capacity in the passenger compartment [kW]	max. 5
Heating capacity in the passenger compartment [kW]	max. 4
Cooling capacity driver's cab [kW]	7
Heating capacity driver's cab [kW]	5

Base vehicle data

Offer ID	96469
Date	20.06.2025
Baumuster	90764513
Type / description	420 — eSprinter Panel van SELECT 420 long

Options

Code	Name
------	------

35B	OPERATOR'S MANUAL AND SERVICE BOOKLET – LATVIAN
502	Digital Extra: Intell. Speed Assistant Updates
806	CY X5/1
A50	Front axle with upgraded axle load
B25	Electrical parking brake
BA3	Active Brake Assist
BH1	HOLD function
C6L	Multifunction steering wheel
CB8	Stabilisation level II
CL1	Height and rake adjustable steering wheel
CL3	Leather steering wheel
D03	High roof
D93	Omission partition
E07	Hill-Start Assist
E1D	Digital radio (DAB)
E1U	USB socket, 5 V
E2A	Access point for BB special signals in cockpit
E2M	Add. battery f. retrofit consumers, eng. compartm.
E36	Disconnecting relais if auxiliary battery
E3J	Preinstallation for switch panel
E43	Trailer socket, 13-pin
E4S	Digital Extra: Smartphone Integration
E5A	AC charging 22 kW
E6J	DC charging 115 kW
E7B	Digital Extra: Pre-installation for Navigation
E7M	MBUX multimedia system

E96	Type 2 vehicle socket for electric vehicle
E9L	Charging cable, mode 3 (type 2, 3x32A), 8m
E9V	High-voltage battery (113 kWh)
ED4	heavy-duty battery
ED5	Parameterizable special module
EK1	Terminal strip for electrical connection
ES0	Starting aid contact
ES5	Charging package, dashboard
ET4	Active Distance Assist DISTRONIC
F49	Windscreen, heated
F61	Rear mirror inside
F64	Electrically foldable exterior mirrors
F68	Exterior mirror heated and electr. adjustable
FE9	1-DIN SLOT under dashboard, passenger side
FG8	Cup holders front
FJ1	Hinged lid for stowage compartment
FR8	Reversing camera
FX0	Stowage comp. above windscreen, driver side
FX1	Omission of sun visor, co-driver's side
FY7	Multi-button radio remote control
H16	Heated seat for driver
H1B	Controls for tachograph at front under roof liner
H1I	Front-to-rear outlet in instrument panel
H1K	Pre-entry climate control
H21	Heat-insulating glass w.band filter on windscreen
H2K	Energy-saving mode, climate control
HH2	Electrically powered hot-air auxiliary heater

HH9	Air con., semi-autom. controlled, TEMPMATIC
I0W	Stowage compartment for charging cable
IG5	Basic
J10	Speedometer, km/h
J2A	Acoustic presence indicator
J58	Seat belt warning for driver's seat
J65	Temperature indicator
JA7	Blind Spot Assist
JA8	Crosswind Assist
JB4	Active Lane Keeping Assist
JD6	Intelligent tachograph, EU
JF1	Rain sensor
JF7	Moving Off Information System
JK5	Instrument cluster with colour display
JS2	Intelligent Speed Assistant
JT7	Sideguard Assist
JW8	ATTENTION ASSIST
L13	Fog lamps with cornering light function
L21	Reversing light, bottom
L22	Partial LED tail lights
L65	Interior light(s), load/pass. comp. wi. door cont.
L94	Omission parking lamp
LA1	Highbeam Assist
LA2	Headlight assistant
LB1	Side marker lights
LB5	3rd brake light
LC2	LED light strip in load compartment

LC4	Comfort overhead control panel
LE1	Adaptive brake light
LG7	LED High Performance headlamps
M1E	Electric vehicle
M9E	Electric motor output level 150 kW
MD2	Speed limiter, 100 km/h
P47	Front mud flaps
P48	Rear mud flaps
Q10	Cross member for coupling
Q11	Longitudinal member reinforcement
QA9	Cross member with integral step
R65	Spare wheel bracket below frame end
R87	Spare wheel
RF1	Make of tyres Continental (10)
RG8	Tyres 225/75 R16 C
RM1	M+S tyres
RM9	Make of tyres as optional extra
RS3	Steel wheels 6.5 J x 16
RY2	Tyre pressure monitoring front/rear, wireless
S22	Armrest for driver's seat
S28	Armrest, driver's and co-driver's door
S87	Driver's seat frame, low
S91	Deletion, co-driver's seat
S99	Seat base for front passenger's seat not provided
SA5	Airbag, front driver's seat
SB3	Suspension seat, comfort version, driver's seat
SE5	Lumbar support, driver's seat

SK0	Convenience head restraint, driver's seat
SW1	No front pass.height-adj.belt & buckle
SW3	Omission of co-driver airbag
T75	Grab handles for driver's and co-driver's doors
T86	Entrance handle on RH rear corner pillar
T93	Sliding door not provided
V3L	All-weather floormats
V94	Cable duct on side wall
V95	Cable duct on rear portal
VA1	Panelling in load comp. up to belt rail standard
VA5	Full panelling, hinged rear doors
VA7	Stow. comp. w. net in rear doors
VF7	Fabric Maturin black
VK8	Floor covering, plastic
W02	Van with panorama glazing
W18	Sliding window front left in sidew./sliding door
W19	Sliding window front right in sidew./sliding door
W22	Fixed window, center left
W23	Fixed window, center right
W34	Sliding window rear left
W35	Sliding window rear right
W61	Window in tailgate / Rear hinged doors
XC1	COC papers, incomplete
XG5	Weight variant 4.250 kg
XM4	Acoustic package
XO5	Digital Owner's Manual
XQ1	VIN encoded vehicle data with check digit

XW9	Control code, changeover WLTP
XZ1	Model generation 1
Y10	First aid kit
Y26	Chock
Y43	Hydraulic Jack
Y44	Warning triangle
Z0H	Control code Certification
Z1U	Body-in-white measures for ECE rollover test
Z2E	National version for EU - EFTA - UK
Z2N	Qualification N2
Z4K	SELECT
Z4V	Production in Düsseldorf
Z74	Bodyshell, additional measures 2
Z75	Bodyshell, additional measures
ZQ0	Contr. code for reg. doc. - add. weight specified

Sales department

Maris Zukovskis
+371 29102125
maris.zukovskis@universalsltd.lv

Company details

SIA "UNIVERSĀLS LTD"
SEPA id.: LV23ZZZ41703003835
VAT no: LV41703003835

